

L Number	Hits	Search Text	DB	Time stamp
1	2224	707/102.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 14:38
2	213	707/102.ccls. and (creat\$3 same modif\$3) same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:22
3	133	(707/102.ccls. and (creat\$3 same modif\$3) same database\$1) and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 14:39
4	888	345/733,843,762,968.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:22
5	341	715/506,507.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:22
6	16	345/733,843,762,968.ccls. and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:26
7	7	715/506,507.ccls. and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1) and (internet or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:36
8	286	707/9,10,102,104.1.ccls. and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1) and (internet or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:28
9	108	707/9,10,102,104.1.ccls. and (creat\$3 with modif\$3) with database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1) and (internet or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:28
13	3198	customiz\$4 with (database\$1 or data near base\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:36

14	413	customiz\$4 near (database\$1 or data near base\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:36
15	38	(customiz\$4 near (database\$1 or data near base\$1)) and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1) and (internet or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:44
16	42	(customiz\$4 near (database\$1 or data near base\$1)) and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:48
17	229	(customiz\$4 with (database\$1 or data near base\$1)) and (creat\$3 same modif\$3) same database\$1 and (templat\$3 or form\$1) same (field\$1 or attribute\$1 or column\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 15:49
22	1		USPAT	2004/05/15 15:57
23	1		USPAT	2004/05/15 15:58
24	1		USPAT	2004/05/15 16:00
25	1		USPAT	2004/05/15 16:01
26	1		USPAT	2004/05/15 16:01
27	1532	(generat\$3 or creat\$3) with database\$1 same (template\$1 or form\$1) same (select\$3 or specif\$4) same user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:08
28	652	(generat\$3 or creat\$3) with database\$1 with (template\$1 or form\$1) same (select\$3 or specif\$4) same user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:08
29	1191	(generat\$3 or creat\$3) near database\$1 and (template\$1 or form\$1) with (select\$3 or specif\$4) with user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:09
30	398	(generat\$3 or creat\$3) near database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:12

31	374	((generat\$3 or creat\$3) near database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (network\$1 or internet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:10
32	212	((generat\$3 or creat\$3) near database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (network\$1 or internet\$1)) and (attribute\$1 or field\$1) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:14
33	155	((generat\$3 or creat\$3) near database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (network\$1 or internet\$1)) and (attribute\$1 or field\$1) same table\$1) and (user\$1 same select\$1 same template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:14
34	10	user\$1 near (generat\$3 or creat\$3) near database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:13
35	691	user\$1 with (generat\$3 or creat\$3) with database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:14
36	306	(user\$1 with (generat\$3 or creat\$3) with database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (attribute\$1 or field\$1) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:14
37	247	(user\$1 with (generat\$3 or creat\$3) with database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (attribute\$1 or field\$1) with table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:15
38	6029	((user\$1 with (generat\$3 or creat\$3) with database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (attribute\$1 or field\$1) with table\$1) (predefined or pre-defined) with form\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:15
39	29	((user\$1 with (generat\$3 or creat\$3) with database\$1 and (template\$1) with (select\$3 or specif\$4) with user\$1) and (attribute\$1 or field\$1) with table\$1) and (predefined or pre-defined) with form\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:17
40	86	(creat\$3 or generat\$3) near database\$1 and user\$1 with select\$3 with (template\$1 or form\$1) and (predefined or pre-defined) with form\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 16:17

	2	("20030126160").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 14:37
	40	("6246138" "5692181" "5710900" "5721903" "5708825" "5889992" "5590331" "5893108" "6292828" "6475753" "6243757" "6199070" "5197005" "6080207" "5754762" "6003134" "6052670" "5844554" "5978804" "6300948").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:32
	41	("6473807" "5940289" "6564205" "5392220" "5873049" "5295256" "5602993" "5706453" "5946694" "6112210" "6112207" "6151584" "6252544" "6317794" "6418439" "6704743" "5694463" "6324691" "6292830" "5943673").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:33

	17	("6026595" "5956740" "6212537" "6212537" "6091895" "6125347" "6175836" "5715184" "6121924" "5400542").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:34
	47	("6357035" "5732221" "5774661" "5206103" "5317742" "4912657" "5832496" "5870746" "5886693" "6327594" "6342581" "6410709" "6420526" "6433139" "6448230" "6185556" "6618718" "5568645" "6222540" "6222540" "6026411" "6112194" "6182075" "6185608").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:35

	44	("6253193" "6356940" "6363488" "6389402" "6397181" "6397221" "6427140" "5754858" "4958837" "5010491" "5475842" "5657447" "6049811" "6195644" "6219836" "6219836" "6164533" "6073138" "6324541" "6226657" "6226657" "6282711" "5867164" "5426941" "5532946" "5531443").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:39
	194341	(creat\$3 or generat\$3 or build\$3) same (database\$1 or data near base\$1 or data near store\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:40
	194341	(creat\$3 or generat\$3 or build\$3) same (database\$1 or (data near base\$1) or (data near store\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:40
	20291	(creat\$3 or generat\$3 or build\$3) near (database\$1 or (data near base\$1) or (data near store\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:41
	4520	((creat\$3 or generat\$3 or build\$3) near (database\$1 or (data near base\$1) or (data near store\$1))) and (template\$1 or form\$1) same (field\$1 or column\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:41
	2655	((creat\$3 or generat\$3 or build\$3) near (database\$1 or (data near base\$1) or (data near store\$1))) and (template\$1 or form\$1) same (field\$1 or column\$1)) and (internet or web or online)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:42

-	333	(((creat\$3 or generat\$3 or build\$3) near (database\$1 or (data near base\$1) or (data near store\$1))) and (template\$1 or form\$1) same (field\$1 or column\$1)) and (internet or web or online)) and 707/9,10,102.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:43
-	99	(((creat\$3 or generat\$3 or build\$3) near (database\$1 or (data near base\$1) or (data near store\$1))) and (template\$1 or form\$1) same (field\$1 or column\$1)) and (internet or web or online)) and 707/9,10,102.ccls.) and (database same template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:35
-	206	707/104.1.ccls. and (database same template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:37
-	184	(707/104.1.ccls. and (database same template\$1)) and (creat\$3 or generat\$3) same (database\$1 or data near base\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:35
-	2190	709/203,219.ccls. and (creat\$3 or generat\$3) same (database\$1 or data near base\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:36
-	1483	709/203,219.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:36
-	185	(709/203,219.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1)) and (database same template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:37
-	1	"6067623".PN.	USPAT	2004/05/14 17:36
-	1	"5953722".PN.	USPAT	2004/05/14 17:37
-	1	"5948061".PN.	USPAT	2004/05/14 17:37
-	1	"5946687".PN.	USPAT	2004/05/14 17:37
-	1	"5944787".PN.	USPAT	2004/05/14 17:37
-	1	"5944787".PN.	USPAT	2004/05/14 17:37
-	1	"5901214".PN.	USPAT	2004/05/14 17:38
-	1	"5751961".PN.	USPAT	2004/05/14 17:38

571	707/102.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1) and (select\$3 same form\$1 or templat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:40
424	707/102.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1) and (select\$3 with form\$1 or templat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:39
356	(707/102.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1) and (select\$3 with form\$1 or templat\$3)) and table\$1 and (field\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:40
242	(707/102.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1) and (select\$3 with form\$1 or templat\$3)) and table\$1 same (field\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:40
134	707/102.ccls. and (creat\$3 or generat\$3) with (database\$1 or data near base\$1) and user\$1 with (select\$3 with (form\$1 or templat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:46
1	"6175833".PN.	USPAT	2004/05/14 17:45
78	((creat\$3 or generat\$3) with (database\$1 or data near base\$1) and user\$1 with (select\$3 with (form\$1 or templat\$3))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 17:46